

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.:20091130

DATE : November 30, 2009

TO SPE OF : ART UNIT 2627

SUBJECT : Request for Certificate of Correction on Patent No.: 7,199,977

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within **7** days to:

Certificates of Correction Branch - ST (South Tower) 9A22

Palm location **7590** - Tel. No. (703) 305-8309

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Thank You For Your Assistance

Certificates of Correction Branch

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriated box.

☐ **Approved**

All changes apply.

☒ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

Comments:

"In the drawings, Sheet 10, Figure 6, label "Fig. 6" should be removed" is not approved. There is no such label.

Angel A. Castro
Primary Examiner
AU 2627

/WAYNE R YOUNG/
Supervisory Patent Examiner.Art Unit 2627